

**D112DC048**  
**G**

## Electronic multitone siren, aluminum housing, max. 119dB @ 1m, 30-60V DC, grey



### Specifications

|                                       |                       |                       |   |
|---------------------------------------|-----------------------|-----------------------|---|
| Alarm stages                          | 3                     | Operating temperature | -25°C to +55°C                          |
| Brand                                 | E2S                   | Operating voltage     | 35-60V DC                               |
| CE certificate                        | Yes                   | Range                 | 60m                                     |
| Cable entry                           | -40°C to +60°C        | Rated current         | 48V DC 120mA                            |
| Certificates, quality marks, markings | CE, UL, cUL           | Rated voltage         | 48V DC                                  |
| Colour                                | RAL 7038 grey         | Relative humidity     | Less than 90% (no condensation) at 20°C |
| Dimensions                            | 147mm x 130mm x 125mm | Sound level (max)     | 119dB(A)                                |
| EN 54-3                               | Yes                   | Type                  | Electronic multitone siren              |
| Effective range                       | 60m @ 1KHz            | UL certificate        | Yes                                     |
| Ingress protection                    | IP66                  | Voltage               | 48V                                     |
| Material                              | Aluminum              | Voltage type          | DC                                      |
| Mounting type                         | Outside mounting lugs | Volume control        | 12dB(A)                                 |
| Number of tones                       | 45                    | Weight                | 1600g                                   |

### Good to know

This aluminium version is UV resistant.